



PHARMACY COUNCIL OF INDIA

(Constituted under the Pharmacy Act, 1948)

E-MAIL : registrar@pci.nic.in
WEBSITE : www.pci.nic.in
TELEPHONE : 011-61299901,
: 011-61299902,
: 011-61299903,

NBCC Centre, 3rd Floor,
Plot No.2, Community Centre
Maa Anandamai Marg
Okhla Phase I
New Delhi – 110 020

Circular

Ref No. 14-154/2021-PCI / 6156

20 DEC 2021

To all Institutions (D.Pharm, B.Pharm, Pharm.D) approved by PCI –

- u/s 12 of the Pharmacy Act, 1948
- conduct of course.


Sub: Compliance to Biomedical Waste Management Rules, 2016 by Healthcare Facilities-reg.

Sir/Madam,

With reference to the subject cited above, please find attached herewith the Letter No. B-31011/BMW (68)/2021/WM-I-8936 dt. 17.11.2021 from Central Pollution Control Board, New Delhi, which is self explanatory.

You kind support is solicited in the matter.

Yours faithfully


(ARCHANA MUDGAL)

Registrar-cum-Secretary



~~2021/11/17~~
केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

By Speed Post

F.No.B-31011/BMW (68)/2021/WM-I-8936

2434684 November 17, 2021
01/12/2021
f

To,
The Joint Secretary
Ministry of Health & Family Welfare
Nirman Bhawan,
New Delhi.

Sub.: Compliance to Biomedical Waste Management Rules, 2016 by Healthcare Facilities - reg.

Sir,

Central Pollution Control has been reviewing the status of compliance of Biomedical Waste Management Rules, 2016 by Healthcare Facilities (HCFs). As per the available information, there are 3,22,425 Healthcare Facilities including 1,06,796 bedded and 2,15,780 non-bedded HCFs. Further, 1,53,885 HCFs have obtained authorization under BMW Rules, 2016.

PPS+ JS (MoHFW)
Biomedical Waste Management Rules, 2016 stipulate that issuing license to health care facilities or nursing homes or veterinary establishments by Ministry of Health and Family Welfare (MoHFW) will be subject to condition of obtaining authorization from the prescribed authority for bio-medical waste management. Further, MoHFW shall monitor, refuse or cancel the license in case of violations of conditions of authorization or provisions under these Rules.

In view of above, it is requested to ensure that healthcare facilities comply with the provisions laid under BMW Rules, 2016 including obtaining authorization from concerned State Pollution Control Board/ Pollution Control Committee.

Yours faithfully,

(Prashant Gargava)
Member Secretary

US (A II) Q

2.XII.21

SO(4-2)

02/12