

or deletion to the premises in which the factory is situated, the fee to be paid for such amendment shall be five hundred rupees;

(d) change in the manufacturing process, or addition of new process or deletion of process, the fee to be paid for such amendment shall be five hundred rupees; and

(e) exceeding the limits specified in the licence in regard to horse-power or the number of workers employed, the fee to be paid for such amendment shall be equal the difference between the licence or renewal fees due on the basis of the higher number of workers and horse power and the fees for the grant of licence or renewal thereof already paid for the year or part thereof.”.

4. *Amendment of rule 11.*— In rule 11 of the principal Rules, sub-rules (3) and (4) shall be omitted.

5. *Amendment of rule 90 O.*— In rule 90 O of the principal Rules, in sub-rule (2), for the expression “or three months certificate course in Associate Fellow of Industrial Health offered by the Directorate General of Factory Advice Services and Labour Institute (DGFASLI) Mumbai”, the expression “or three months certificate course in Associate Fellow of Industrial Health offered either by the Directorate General of Factory Advice Services and Labour Institute (DGFASLI) Mumbai or an Institute approved by the Central Government/any State Government/Union Territory Administration, in accordance with the guidelines issued by DGFASLI” shall be substituted.

6. *Amendment of rule 95.*— In rule 95 of the principal Rules, in sub-rule (1), in the proviso, for the expression “or a three months certificate course in Associate Fellow of Industrial Health offered by the Directorate General Factory Advice Services and Labour Institutes, Mumbai”, the expression “or three months certificate course in Associate Fellow of Industrial Health offered either by the Directorate General of Factory Advice Services and Labour Institute (DGFASLI) Mumbai or an institute approved by the Central Government/any State Government/Union Territory Administration, in accordance with the guidelines issued by DGFASLI” shall be substituted.

7. *Substitution of Form No. 1.*— For Form No. 1 to the principal Rules, the following Form shall be substituted, namely:—

“FORM No. 1

(See rule 3)

Application for Approval of Plans to Construct, Extend or take into use  
any Building as a Factory or Revision in Plant and Machinery Layout  
or Revision in Site on which the Factory is situated

(1) Application for - (Tick one or more, as applicable)

- (a) Constructing a new building : \_\_\_\_\_
- (b) Extending the existing building : \_\_\_\_\_
- (c) Taking into use any building as a factory : \_\_\_\_\_
- (d) Revision in Plant and Machinery Layout : \_\_\_\_\_
- (e) Revision in site on which factory is situated : \_\_\_\_\_

(2) Occupier's details in block letters

- (a) Full Name : \_\_\_\_\_
- (b) Residential Address : \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone No. \_\_\_\_\_

Mobile No. \_\_\_\_\_

e-mail id. \_\_\_\_\_

(3) Full name and postal address of factory including Phone No.

(a) Name : M/s. \_\_\_\_\_

\_\_\_\_\_

(b) Address : \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone No. \_\_\_\_\_

e-mail id. \_\_\_\_\_

(4)(a) Whether already registered as a factory : Yes/No

(b) If yes,

(i) Registration No. : \_\_\_\_\_

(ii) Licence No. : GOA/ \_\_\_\_\_

(iii) Valid upto : \_\_\_\_\_

(c) Has the construction work been started? : Yes/No

If yes, date of start : \_\_\_\_\_

(d) Has the construction work been completed? : Yes/No

If yes, date of completion. : \_\_\_\_\_

(e) Has the manufacturing process commenced? : Yes/No

If yes, date of commencement : \_\_\_\_\_

(f) How many workers were employed on the first day of the commencement of the manufacturing process? : \_\_\_\_\_

(g) From which date you are employing more than 19 workers with the aid of power or more than 39 workers without the aid of power? : \_\_\_\_\_

(h) What is/will be the maximum number of workers employed per day? (Maximum, counting all shifts in the entire factory) : Male - \_\_\_\_\_  
Female - \_\_\_\_\_

(i) What is/will be the maximum number of workers working in the entire factory at any one time? : Male - \_\_\_\_\_  
Female - \_\_\_\_\_

(j) Does it fall in THE FIRST SCHEDULE under section 2 (cb) of the Factories Act, 1948. : Yes/No

If yes, state the category as per THE FIRST : \_\_\_\_\_  
 SCHEDULE of the Factories Act, 1948.  
 (Details given in Annexure V hereto).

(k) Dangerous Manufacturing Process or Operation carried on or to be carried on as per rule 131 of the Goa Factories Rules, 1985 along with No. of workers proposed to be/engaged in each dangerous manufacturing process or operation (Details given in Annexure VI hereto)	Sr. No.	Schedule No. as per Rule 131	No. of workers
	1		
	2		
	3		

(5) Other Particulars:

(i) Permission/Approval/NOC from Local Authority i.e. Municipal Corporation or Council/Panchayat/Goa Industrial Development Corporation along with photo copy of approved plans (in case of construction, extension or taking into use any building as a factory). : \_\_\_\_\_

(ii) Approval from Goa State Pollution Control Board as under:-

(a) For new factories, Consent to Establish : \_\_\_\_\_

(b) For existing factories, Consent to Operate and Hazardous Waste Authorization : \_\_\_\_\_

(iii) Approval/License from Petroleum and Explosives Safety Organization in case of factories using/manufacturing/storing explosives, flammable or non-flammable or toxic or non-toxic compressed gas, petroleum product or any other inflammable substance. : \_\_\_\_\_

(iv) List of directors/partners in case of company/ /firm with their permanent address and telephone numbers. : \_\_\_\_\_

(v) Board Resolution appointing one of the Directors/Resolution appointing one of the Partners as Occupier of the factory as per Annexure-I hereto. : \_\_\_\_\_

(vi) Ownership documents of the premises i.e. Sale Deed/Lease Deed/Sub-Lease Deed/Leave & License Agreement. : \_\_\_\_\_

(vii) List of raw material(s) used in the manufacturing process. : \_\_\_\_\_

(viii) List of finished products manufactured in the factory. : \_\_\_\_\_

(ix) Schematic flow chart of the manufacturing process. : \_\_\_\_\_

- (x) Brief description of the manufacturing process. : \_\_\_\_\_
- (xi) List of chemicals/oils/solvents/gases that are stored, produced or discharged to be given as per Annexure-II hereto. : \_\_\_\_\_
- (xii) Statistical data to be submitted as per Annexure-III hereto (to be obtained from Architect/Engineer) : \_\_\_\_\_
- (xiii) Stability Certificate of the building/shed/structure/work of engineering construction in case of completion of construction work. (to be obtained from Competent Person as defined under Rule 5) : \_\_\_\_\_
- (xiv) (i) List of machineries/equipment's with their power rating in HP : \_\_\_\_\_
- (ii) List of other power/steam generating equipment's along with their details. : \_\_\_\_\_
- (xv) Risk Analysis Report in case of Major Accident Hazard installation/Chemical Unit. (For new factories and in case of existing factories if there is any change) : \_\_\_\_\_
- (xvi) Plans in duplicate in blue print/CAD print signed by the occupier in original submitted in hard format. (Refer Annexure-IV hereto for guidelines of plan preparation) : Yes/No

Rubber stamp and Signature of the Occupier: \_\_\_\_\_

Name of Occupier: \_\_\_\_\_  
(in block letters)

Date:-

Notes: (1) Applicant shall be the occupier of the factory, as specified under the following circumstances:-

- (a) The proprietor of proprietary concern, or
- (b) Anyone of the individual partners of the firm by consent from all other partners.
- (c) One of the directors of the company nominated by Board of directors by resolution.
- (d) The person appointed by notification to manage the affairs of the factory, owned or controlled by the Central Government or State Government or a local authority.

(2) The application in this Form is not valid after 3 months from the date of submission, if plans are not approved.

(3) Application made by a person other than the occupier of a factory will not be entertained.

## ANNEXURE - I

**Resolution****Extract of the Resolution passed in the Board of Directors Meeting/Partners Meeting held on**

..... At .....

Resolved that Shri ..... Director of the Company is nominated as 'Occupier' for the Company's factory at Plot No. .... Goa, for the purpose of the Factories Act, 1948 (Central Act No. 63 of 1948) and the Rules framed thereunder.

Certified by Company Secretary or Chairman

## ANNEXURE-II

**Details of Oil/Solvents/Petroleum Products/Chemicals/Gases  
those are Stored, Produced or Discharged**

Sr. No.	Name of the raw material/chemical/solvent etc.	Physical state at ambient temp.	Maximum quantity stored at a time in factory	Type/Mode of storage	Flash point in °C	Flammability	Toxicity	Exposure	Method of handling during manufacturing process
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)

Raw materials

Intermediate products

Finished products

Name and Signature of the Occupier

Date:

## ANNEXURE - III

## Statistical Data

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
Sr. No. of work room, office room, etc. marked on plan	Name of room in factory	Length, breadth and height (all in metres of each room)	Total volume of each room in cubic metres	Total volume occupied by machinery of each room in cubic metres	Floor area occupied by machinery in square metres	Breathing space in cubic metres	No. & size of door	No. & sizes of window opening in the outer wall (at working level)	No. & size of ventilation & other roof opening (above working level)	Total area of windows and doors in the outer wall in square metres (8+9)	Total area of opening above working level in square metres	Maximum No. of persons who may be employed in the room at a time	Other remarks if any with respect of special arrangements made for ventilation

**NOTE:**— Breathing space of at least 14.2 cubic metres shall be provided for every worker employed in that room and no account shall be taken of any space which is more than 4.2 mts. above the level of the floor of the room, for calculating the breathing space.

Signature of Architect/Engineer preparing the plans.

## ANNEXURE-IV

**For Reference of Occupier/Engineer/Architect-Guidelines  
for Preparing Plans**

- (1) Shall be submitted in blue print drawing or CAD print.
- (2) Shall be in duplicate.
- (3) Shall be signed by Occupier and the Engineer/Architect indicating his registration number with rubber stamp.
- (4) Shall be drawn to scale, suitably dimensioned.
- (5) The site and block plan must be drawn to a scale of 1cm = 5 mts. with North direction shown.
- (6) The scale of building plans, elevations, equipment, layout, cross sections, must be drawn to a scale of 1cm = 1mt.
- (7) All dimensions shall be in metric systems.
- (8) Shall be prepared by a person having requisite qualifications such as an Architect registered with the Institution of Architects or Registered Engineer. Name and address of the Engineer/Architect to be given.
- (9) Site plan shall show immediate surroundings including adjacent buildings and other structures, roads, drains, etc., factory boundary shall be shown in green including all its premises and precincts therein.

**Layout Plans**

- (10) Shall show all the departments, sections, aisles, stairs, floor openings, pits, reservoir sumps, tanks, boiler house, coal yard, generator room, effluent plant, work benches, workshop, passageways through the working room, etc. giving access to the means of escape in the case of fire and emergency.

- (11) Shall show placement of machinery and equipment, including lifting machines, pressure plants, furnace, etc., indicating the distance of at least 1mt. between the machines, machines and adjacent walls, pillars, etc.
- (12) Shall show location of all the statutory facilities like latrines, urinals and washing facilities, cloak room, canteen, rest/shelter room, lunch room, first aid room, drinking water centre's, spittoons, etc., clearly marked and detailed plans with respect to each of these facilities.
- (13) Shall show all figures, dimensions, specifications, distances and necessary schedules of doors and windows, machineries and equipments on plans at proper places.
- (14) Shall show proposed changes of additions and alterations in the following distinctive colours:-
  - (i) Proposed extension in pink colour.
  - (ii) Proposed demolition in yellow colour.

#### **Technical Specifications for Factory Buildings**

(1) *Site:—*

While considering the factory site, it shall be ensured that the proposed factory does not create any nuisance to the neighborhood including adjacent industries or the general population. In case a factory generating trade waste and effluents, then the care shall be taken to see that the same are disposed off in a manner approved by the Goa State Pollution Control Board.

In case of industrial units having a potential danger of creating a major hazard that the factory shall ensure that there is a green zone/clear distance around the factory including as per the directions given by the Court in regard to location safety aspects of factories.

(2) *Floor:—*

- (i) Floor shall be cemented.
- (ii) There shall be mastic flooring in flammable areas to eliminate sparks.

(3) *Height:—*

- (i) Height of the building will vary depending upon the manufacturing process. However minimum height from floor to the lowest point of the roof shall not be less than 3.75 mts.
- (ii) For spans of building upto 12 mts. the height shall not be less than 3.75 mts. for spans between 12-21 mts. the height shall not be less than 4.25 mts.
- (iii) In case of A/c rooms lesser height upto 2.12 mts. could be accepted depending upon the number of workers employed, size of the room, processes carried out, standby power supply, etc.

(4) *Windows and Skylights:—*

- (i) Sill height of windows at working level shall not be more than 1 mt.
- (ii) Windows shall be fully openable outwards.
- (iii) Shall not be less than 152.5 x 91.5 cms.
- (iv) Distance between the centres of consecutive windows shall not exceed 2.4 mts.
- (v) If natural lighting is inadequate, sufficient number of transparent sheets or glass tiles shall be provided.
- (vi) For building over 3.75 mts. height, every additional 3.75 mts. height is considered as one floor for providing additional openings.

(5) *Doors:—*

- (i) Minimum size shall be 205 cms. x 120 cms.
- (ii) Opening outside in the direction of nearest exit.

(6) *Emergency Exit:—*

(See rule 73 (10) of the Goa Factories Rules, 1985)

- (i) At least one for every room
- (ii) Shall provide free and unobstructed passage.
- (iii) Travel distance to the exit shall not be more than 30 mts.
- (iv) In case of those factories where high hazard materials are stored or used, the travel distance to the exit shall not exceed 22.5 mts.
- (v) If any part of the factory building is above or below the level of the ground floor, then two or more external, separate and substantial stairways of fireproof material shall be provided at diagonally opposite levels to provide direct access to the ground floor.
- (vi) Stairway shall not have angle greater than 45° to the horizontal and width less than 90 cms.

(7) *Breathing Space*:—

Breathing space of 14.2 cubic mts./worker is required. Actual height upto 4.2 mts. shall only be taken into account for calculating the breathing space (See Annexure-IV).

(8) *Overcrowding*:—

- (i) Space for free movement.
- (ii) In power factories at least 3.3 sq.mts. space is required for each worker.
- (iii) Non-power factories, space required is 1.5-2.3 sq. mts. Space occupied by machinery and other fixtures not to be considered.
- (iv) For workers who squat on the floor and work, space required per worker is 1.47 sq. mts. in addition to the space required for free movement.

(9) *Spacing of Machinery*:—

Minimum 1 meter distance is to be allotted in between machinery and fixtures like planers, etc. whose traverse of the bed is towards the wall, then a clear space of at least 45 cms. between the wall and the maximum traverse of the bed with the largest size of the object to be turned shall be left.

(10) *Ventilation*:—

(See rule 24 of the Goa Factories Rules, 1985)

- (i) Ventilation standard specified in the Act and the Rules thereunder shall generally be adhered to.
- (ii) Openings in the wall shall be at least more than 15% of the floor area.
- (iii) Minimum air movement-30 mts./min.
- (iv) (a) every 3.75 mts. height is considered as one floor area.  
(b) only openable window area is taken in consideration for ventilation.
- (v) Ridge ventilators shall be provided for the full length of the roof.
- (vi) Roof extractors, ventilation cowl to be provided.
- (vii) Openings or openable ventilators needed for each bay of north light roof.

(11) *Mezzanine Floor*:—

- (i) Sufficient head room over all working platforms is needed.
- (ii) Platforms and stepways above floor level shall be provided with hand rails on all the sides and toe boards.

(12) *Exhaust*:—

Effective dust/fume/heat extraction system is necessary for local exhaust wherever painting buffing, heat processes, etc., are involved. Details of systems adopted to remove heat, dust, fume, vapour, smoke, gases, air-borne contaminants, radio-active waste, etc. shall be given and shall be shown in plans.

(13) *Illumination and Electrical Fittings*:—

- (i) Standard of lighting shall be as per ISI specifications (See Rule 37 of the Goa Factories Rules, 1985).



- (ii) All wiring shall be of industrial type.
  - (iii) Flame-proof wiring and fittings to be provided in explosive environment.
- (14) *Sanitary Facilities:—*  
(See Rules 47 to 56 of the Goa Factories Rules, 1985)
- (i) Separately for male and female workers.
  - (ii) Independent entry for male and female workers.
  - (iii) Well distributed in convenient places.
  - (iv) In following number:-
    - (a) Latrines:-  
One for every 25 upto 100 workers and thereafter one for every 50 workers.
    - (b) Urinals:-  
One for every 50 upto 500 workers and thereafter one for every 100 workers.
- (15) *Washing Facilities:—*  
(See Rule 91 of the Goa Factories Rules, 1985)
- (i) Separately for male and female workers.
  - (ii) Independent entry for male and female workers.
  - (iii) Well distributed in convenient places.
  - (iv) In following number:-
    - (a) Wash places:-  
One for every 20 upto 200 workers and thereafter one for every 50 workers.
    - (b) Bathrooms:-  
One for every 25 upto 100 workers and thereafter one for every 50 workers.
- (16) *Arrangement for Drying of Wet Clothing and Keeping Clothing:—*  
(Applicable to factories listed under Rule 92 of the Goa Factories Rules, 1985.)  
Separately for male and female workers.
- (17) *Canteen:—*  
(Applicable to factories employing 250 and more workers. See rule 96 of the Goa Factories Rules, 1985.)
- (i) 1 sq. mt. per worker.
  - (ii) To accommodate 30% workers working at a time.
  - (iii) 15 mts. away from source of obnoxious dust, fumes or smoke, coal-stack, latrines, urinals, boiler house, ash dumps, noisy areas, etc.
  - (iv) Sufficiently lighted.
  - (v) Floor and inside walls upto a height of 1.2 mts. from the floor shall be of smooth and impervious material.
  - (vi) Minimum height shall be 3.75 mts.
- (18) *Shelter/Rest Room and Lunch Room:—*  
(Applicable to those employing 150 and more workers).  
(See rule 103 of the Goa Factories Rules, 1985.)
- (i) In addition to dining hall required under section 46.
  - (ii) 1.12 sq. mts. of floor area per worker.
  - (iii) Heat resistant material for wall and roof.
  - (iv) Minimum height shall be 3.75 mts.

(19) *Creche*:—

(Applicable when female employment is 30 and more).

(See Rule 104 of the Goa Factories Rules, 1985.)

- (i) 2 sq. mts. of floor area for child required.
- (ii) Washing arrangement for children.
- (iii) Sanitary facilities.
- (iv) Cupboard for storage.
- (v) Room for the nurse.
- (vi) Playground suitably fenced.
- (vii) Arrangement for storing milk, food, etc.
- (viii) Mother's feeding room.
- (ix) Minimum height shall be 3.75 mts.
- (x) Shall be away from source of obnoxious dust, fumes or smoke, coal-stack, latrines, urinals, boiler house, ash dumps, noisy areas, etc.

(20) *Ambulance Room*:—

(Applicable when 500 and more workers are employed)

(See rule 95 of the Goa Factories Rules, 1985.)

- (i) Minimum area 24 sq. mts.
- (ii) Floor and walls of smooth, hard and impervious material.
- (iii) Doctor's examination room.
- (iv) Sitting room for visitors.
- (v) Latrines, urinals and wash places.

(21) *Drinking Water*:—

(See rule 41 to 46 of the Goa Factories Rules, 1985.)

- (i) 5 lts./worker/day.
- (ii) Public water supply.

OR

- (iii) Any other source approved by Health Authorities.
- (iv) One water centre for every 150 workers.
- (v) One on each floor.

(22) *Fire Fighting Arrangement*:—

(See rule 73 of the Goa Factories Rules, 1985.)

- (i) Fire hydrant in the form of 15 cms. diameter pipe to supply 500 lts. of water per minute, at a pressure not less than 7 kgs./sq. cms., to give flow for 100 minutes. Hydrant point shall be positioned at convenient location from store and other areas.
- (ii) Fire extinguishers, fire buckets, etc.

(23) *Decontamination Facilities*:—

Decontamination facilities shall be provided in accordance with rule 90 Q of the Goa Factories Rules, 1985.

## ANNEXURE - V

## The First Schedule

(See section 2(cb) of the Factories Act, 1948)

**List of Industries Involving Hazardous Processes**

- (1) Ferrous metallurgical Industries
  - Integrated Iron and Steel
  - Ferro-alloys
  - Special Steels
- (2) Non-ferrous metallurgical Industries
  - Primary Metallurgical Industries, namely, zinc, lead, copper manganese and aluminium
- (3) Foundries (ferrous and non-ferrous)
  - Castings and forgings including cleaning or smoothing/roughening by sand and shot blasting.
- (4) Coal (including coke) Industries.
  - Coal, Lignite, Coke, etc.
  - Fuel Gases (including Coal gas, Producer gas, Water gas)
- (5) Power Generating Industries
- (6) Pulp and Paper (including paper products) Industries
- (7) Fertilizer Industries
  - Nitrogenous
  - Phosphatic
  - Mixed
- (8) Cement Industries
  - Portland Cement (including slag cement, puzzolona cement and their products)
- (9) Petroleum Industries
  - Oil Refining
  - Lubricating Oils and Greases
- (10) Petro-chemical Industries
- (11) Drugs and Pharmaceutical Industries
  - Narcotics, Drugs and Pharmaceuticals
- (12) Fermentation Industries (Distilleries and Breweries)
- (13) Rubber (Synthetic) Industries
- (14) Paints and Pigment Industries
- (15) Leather Tanning Industries
- (16) Electro-plating Industries
- (17) Chemical Industries
  - Coke Oven by-products and Coaltar Distillation Products
  - Industrial Gases (nitrogen, oxygen, acetylene, argon, carbon-dioxide, hydrogen, sulphur-dioxide, nitrous oxide, halogenated hydro-carbon, ozone etc.)
  - Industrial Carbon
  - Alkalies and Acids
  - Chromates and dichromates
  - Leads and its compounds
  - Electrochemicals (metallic sodium, potassium and magnesium, chlorates, perchlorates and peroxides)
  - Electrothermal produces (artificial abrasive, calcium carbide)
  - Nitrogenous compounds (cyanides, cyanamides and other nitrogenous compounds)

- Phosphorous and its compounds
- Halogens and Halogenated compounds (Chlorine, Fluorine, Bromine and Iodine)
- Explosives (including industrial explosives and detonators and fuses)
- (18) Insecticides, Fungicides, Herbicides and other Pesticides Industries
- (19) Synthetic Resin and Plastics
- (20) Man-made Fibre (Cellulosic and non-cellulosic) Industry
- (21) Manufacture and repair of electrical accumulators
- (22) Glass and Ceramics
- (23) Grinding or glazing of metals
- (24) Manufacture, handling and processing of asbestos and its products
- (25) Extraction of oils and fats from vegetable and animal sources
- (26) Manufacture, handling and use of benzene and substances containing benzene
- (27) Manufacturing processes and operations involving carbon disulphide
- (28) Dyes and Dyestuff including their intermediates
- (29) Highly flammable liquids and gases.

-----  
ANNEXURE - VI

(See rule 131 of the Goa Factories Rules, 1985)

Schedules to said rule 131	Dangerous manufacturing processes or operations
(1) Schedule I	Manufacture of aerated water and processes incidental thereto.
(2) Schedule II	Electrolytic plating or oxidation of metal articles by use of an electrolyte containing chromic acid or other chromium compounds.
(3) Schedule III	Manufacture and repair of electric accumulators.
(4) Schedule IV	Glass manufacture
(5) Schedule V	Grinding or glazing of metals
(6) Schedule VI	Manufacture and treatment of lead and certain compounds of lead.
(7) Schedule VII	Generating petrol gas from petrol
(8) Schedule VIII.	Cleaning or smoothing, roughening, etc. of articles by a jet of sand, metal shot or grit or other abrasive propelled by a blast of compressed air or steam.
(9) Schedule IX	Liming and tanning of raw hides and skins and processes incidental thereto.
(10) Schedule X	Certain lead processes carried on in printing presses and type foundries.
(11) Schedule XI	Manufacture of pottery.
(12) Schedule XII	Chemical works
(13) Schedule XIII	Manufacture of articles from refractory materials.
(14) Schedule XIV	Handling and processing of asbestos, manufacture of any article of asbestos and any other process of manufacture or otherwise in which asbestos is used in any form.
(15) Schedule XV	Handling or manipulation of corrosive substances.
(16) Schedule XVI	Processing of cashew nuts
(17) Schedule XVII	Compression of oxygen and hydrogen produced by the electrolysis of water.
(18) Schedule XVIII	Process of extracting oils and fats from vegetables and animal sources in solvent extraction plants.
(19) Schedule XIX	Manufacture or manipulation of manganese and its compounds.

(20)	Schedule XX	Manufacture or manipulation of dangerous pesticides.
(21)	Schedule XXI	Manufacture, handling and usage of benzene and substances containing benzene.
(22)	Schedule XXII.	Manufacturing process or operations in carbon disulphide plants.
(23)	Schedule XXIII	Manufacture or manipulation of carcinogenic dye intermediates.
(24)	Schedule XXIV	Operations involving high noise levels.
(25)	Schedule XXV	Manufacture of Rayon by Viscose Process.
(26)	Schedule XXVI	Handling and Processing of Highly Flammable liquids and flammable compressed Gases.
(27)	Schedule XXVII	Operations in Foundries
(28)	Schedule XXVIII	Fireworks manufactories and match factories
(29)	Schedule XXIX	Manipulation of stone or any other material containing free silica.”.

8. *Substitution of Form No. 2.*— For Form No. 2 of the principal Rules, the following Form shall be substituted, namely:—

“FORM No. 2

(See rules 6, 8, 11 and 15)

**Application for Registration and Grant of License and/or Notice of Occupation or Amendment of Licence or Transfer of License**

1. Application for (Tick one or more, as applicable)
  - (a) Registration, Grant of Licence and/or Notice of Occupation : .....
  - (b) Amendment of license for
    - (i) Change in name of the factory due to acquisition or merger or any other reasons to be specified : .....
    - (ii) Addition/Deletion of the Manufacturing process/Product : .....
    - (iii) Increase/Decrease in maximum number of workers on any day : .....
    - (iv) Increase/Decrease in installed power : .....
    - (v) Addition/Deletion of the premises : .....
  - (c) Transfer of license by virtue of change of Occupier : .....
2. Last plan approval No. and date granted by Chief Inspector : .....
  - (a) Name and complete residential address of the occupier, that is—
    - (a) the proprietor; OR : .....
    - (b) one of the partners of the firm appointed by Resolution; OR : .....
    - (c) a director of the company appointed by Board Resolution; OR : .....
    - (d) the person appointed to manage the affairs of the factory owned or controlled by Central Government or State Government or local authority; OR : .....
    - (e) any other (specify) : .....
  - (b) (i) Full name and postal address of the factory with Pin Code : .....
  - (ii) Telephone No. : .....
  - (iii) e-mail id : .....