



Pollution Control Board, Assam

(Department of Environment & Forests, Government of Assam)

অসম প্ৰদূষণ নিয়ন্ত্ৰণ পৰিষদ

(অসম চৰকাৰৰ বন আৰু পৰিৱেশ বিভাগ)

NABL Accredited Testing Laboratory : Certificate No. TC-11384



Memo No.: TECH-13014/1/2024-CCA-PCBA

Dated Guwahati, the 19th December, 2024

NOTIFICATION

In pursuance of the Notification No. GSR. 234(E) dated 16th March 2018, issued by the MOEFF&CC & letter of CPCB vide no.B-31011/BMW(S8.II)/2022/WMD-I dated 12th April, 2022, it is hereby clarified that non-bedded healthcare facilities (HCF) shall not necessarily need to install Effluent Treatment Plant (ETP). However, they must dispose infectious liquid wastes only after treatment by disinfection. However, all these non-bedded HCFs including Dental Clinics need to obtain CTE/CTO and Authorisation under **Section 25 of the Water (Prevention and Control of Pollution) Act, 1974/ Section 21 of the Air (Prevention and Control of Pollution) Act, 1981** and the Bio Medical Waste Management Rules, 2016 respectively for establishment and operation of such facilities.

Member Secretary

Memo No.: TECH-13014/1/2024-CCA-PCBA

Dated Guwahati, the 19th December, 2024

Copy to:

- i) The Secretary to the Govt. of Assam, Environment and Forest Department, Janata Bhawan, Dispur
- ii) PCBA Website
- iii) WA group (Parivesh)

(e-signed)
Member Secretary